MAR. 27. 2006 10:12AM 7635146982 MEDTRONIC TO: USPTO

RECEIVED CENTRAL FAX CENTER NO. 0396 P. 1

MAR 2 7 2006

PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

AMENDMENT AF TRANSMITTAL

In re Application of: BRABEC et al.

For: HIGH IMPEDANCE AND LOW POLARIZATION ELECTRODE

Serial No.: 10/648,908 Filed: 08-27-2003 Docket No.: P9676.00

> CERTIFICATE UNDER 37 CFR §1.8 | I hereby certify that the paper(s) as described herein are being sent to telefacs/mile No. (571) 273-8300, MAIL STOP AF, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450, on March 27, 2006

> > MOLLY MCCLELLAN

MAIL STOP AF Commissioner for Patents

P.O. Box 1450 Alexandria, VA 22313-1450 Sir: We are transmitting herewith the attached: RESPONSE TO FINAL OFFICE ACTION X Applicant requests a _____-month extension of time to respond to the _____ from _____ to ____. for extension of time and \$ Please charge Deposit Account No. 13-2546 \$ for , for a .00. The Commissioner is authorized to charge any deficiencies, and credit any TOTAL OF \$ overpayments, to Deposit Account No. 13-2546. \boxtimes Applicant believes that no extension of time is required. However, if an extension of time is required, please consider this a petition therefor to provide for the possibility that applicant has inadvertently overlooked the need for an extension of time. The Commissioner is authorized to charge any deficiencies to Deposit Account No. 13-2546.

Nerch 27, 2004

Michael C. Soldner, Reg. No. 41,455

Telephone: (763) 514-4842

Customer No. 27581

NO. 0396 P. 2

MAR 2 7 2006

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicants:

Scott J. Brabec

Examiner:

Alter, Alyssa m.

Serial No.

10/648,908

Group Art:

3762

Filing Date: August 27, 2003

Docket No.:

P9676.00

Title:

HIGH IMPEDANCE AND LOW POLARIZATION ELECTRODE

RESPONSE TO FINAL OFFICE ACTION

MAIL STOP AF Commissioner of Patents P.O. Box 1450 Alexandria, VA 22313-1450

Sir:

This is in response to the Final Office Action dated January 27, 2006.

Reconsideration of the claims in view of the amendments and remarks is respectfully requested.

Amendments to the specification begin on page 2 of this paper.

Amendments to the claims are reflected in the listing of claims, which begins on page 3 of this paper.

Remarks begin on page 9 of this paper.